CERTIFICATE OF ANALYSIS

Complement Technology, Inc.

4801 Troup Hwy, Suite 701 Tyler, Texas 75703, USA

Catalog # **A236** Lot # Exp. Date:

Product: Anti-Factor D

Description: Goat Anti-Human Factor D

<u>Specifications</u>	<u>Limits</u>	<u>Results</u>
PROTEIN CONCENTRATION	> 40.0 mg/mL	59 mg/mL
FILL VOLUME	1.0 – 1.2 mL	1.1 mL
PHYSICAL APPEARANCE	Clear, straw colored	Conforms
PRESERVATIVE	0.09% sodium azide	Conforms
DELIPIDATION	Optional	Not Delipidated
IMMUNODIFFUSION TITER	Against normal human serum, a clear precipitin line forms at a dilution > Neat	Dilution = 1:4 (after staining)
SPECIFICITY	Monospecifc for Factor D when present in normal human serum or plasma.	Conforms
IDENTITY	Forms a precipitin line of identity in Ouchterlony with purified human Factor D and NHS.	Conforms

Short term storage (<30 days) at 4°C.

Longer term storage at ≤ -20°C.

Avoid Repeated Freeze/Thaw

FOR RESEARCH USE ONLY NOT FOR HUMAN OR DRUG USE

Signature of Analyst Date of Analysis

Phone: 1-903-581-8284 FAX: 1-903-581-0491 Email: contactCTI@aol.com

Web Site: www.ComplementTech.com